

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 047940-0167	SERIAL NO. 10/789,955
INFORMATION DISCLOSURE CITATION Submitted: March 17, 2005 (Use several sheets if necessary)		APPLICANT Uri GALILI et al.	
		FILING DATE 02/27/2004	GROUP ART UNIT 1644

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE
MB		5,879,675	3/9/99	Galili et al.			
I		2004/0009906	1/15/04	Kakkis, et al.			
MB		60/548,700	2/27/04	Galili et al.			

FOREIGN PATENT DOCUMENTS

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION	
							YES	NO
MB		WO 95/24924	9/21/95	PCT	 			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


M/L		Fink, et al., "Cloned cytolytic T cells can suppress primary cytotoxic responses directed against them." <i>J Immunol</i> , 133 (4), pp. 1775-81, 1984 (abstract).
		Streilein, et al., "Are allogeneic and associative recognition coincident T cell paradigms?" <i>Transplantation</i> , 31 (3), pp. 183-6, 1981 (abstract).
		Prange, et al., "Induction of partial immune tolerance in a closely-related species system by a single injection of papain-extracted, donor species specific, lymphocyte membrane antigens." <i>Z Exp Chir</i> 13 (1), pp. 28-37, 1980 (abstract).
		Ildstad, et al., "Effect of selective T cell depletions in mixed xenogeneic reconstitution on specific hyporeactivity to transplantation across a species barrier." <i>Transplantation</i> , 41 (3) pp. 372-6, 1986 (abstract).
		Zepp, et al., "Intrathymic tolerance induction: determination of tolerance to class II major histocompatibility complex antigens in maturing T lymphocytes by a bone marrow-derived non-lymphoid thymus cell." <i>Scand J Immunol</i> , 26 (6) pp. 589-601, 1987 (abstract).
		Aldo-Benson, "Membrane depolarization is induced in tolerant B lymphocytes by stimulation with antigen." <i>Cell Immunol</i> , 103 (2) pp. 417-25, 1986 (abstract).
		Ambrosius, "Modification of the immune reaction by antigen-immunosuppressive-agent conjugates. I. Tentative hypothesis for the induction of antigen-specific suppression by antigen-immunosuppressive-agent conjugates," <i>Acta Biol Med Ger</i> 35 (12), pp. 1677-85, 1976 (abstract).
		Schrader, "Tolerance induction in B lymphocytes but thymus-dependent antigens. T cells may abrogate B-cell tolerance induction by prevent an antibody response," <i>J Exp Med</i> , 141 (5) pp. 974-89, 1975 (abstract).
M/B		Schrader, "The in vitro induction of immunological tolerance in the B lymphocyte by oligovalent thymus-dependent antigens," <i>J Exp Med</i> , 141 (5) pp. 962-73, 1975 (abstract).

9/9/06

MVB	Mullen, et al., "Characteristics of specific unresponsiveness toward kidney and skin allografts in adult rats inoculated at birth with allogenic bone marrow or kidney cells across a strong H-1 barrier," <i>Transplantation</i> , 20 (4) pp. 281-90, 1975 (abstract).
	Klaus, "B cell tolerance induced by polymeric antigens VI. Kinetics and reversibility of the inhibition of antibody-forming cells by antigen," <i>Eur J Immunol</i> , 6 (6) pp. 389-93, 1976 (abstract).
	Ratner, et al., "Immunology of renal allograft rejection," <i>Arch Pathol Lab Med</i> , 115 (3) pp. 283-7, 1991 (abstract).
	Webb, et al., "Induction of neonatal tolerance to Mls _a antigens by CD8 + T cells," <i>Science</i> , 248 (4963) pp. 1643-6, 1990 (abstract).
	Kao, "Induction of humoral immune tolerance to major histocompatibility complex antigens by transfusions of UVB-irradiated leukocytes," <i>Blood</i> , 88 (11) pp. 4375-82, 1996 (abstract).
	Suzuki, et al., "Regulation by differential development of Th1 and Th2 cells in peripheral tolerance to cardiac allograft induced by blocking ICAM-1-LFA-1 adhesion," <i>Circulation</i> , 96 (7) pp. 2247-2253, 1997 (abstract).
	McCarthy, et al., "A comparison of the neonatal tolerance-inducing capacities of H-2 class II antigens," <i>J Immunol</i> , 131 (4) pp. 1670-5, 1983 (abstract).
	Hasek, et al., "Comparison of neonatally and adoptively induced transplantation tolerance in mice," <i>Folia Biol (Praha)</i> , 26 (3) pp. 167-75, 1980 (abstract).
	Pike, et al., "Clonal anergy: the universally anergic B lymphocyte," <i>Proc Natl Acad Sci USA</i> , 79 (6) pp. 2013-7, 1982 (abstract).
	Gnezditskaia, et al., "Immunofluorescence study of lactoferrin-synthesizing thymus cells," <i>Biull Eksp Biol Med</i> , 90 (11) pp. 580-3, 1980 (abstract).
	Collavo, et al., "T lymphocyte tolerance and early appearance of virus-induced cell surface antigens in Moloney-murine leukemia virus neonatally injected mice," <i>J Immunol</i> , 126 (1) pp. 187-93, 1981 (abstract).
	Fujiwara, et al., "Tolerance inducibility and the elicitation of autoantibodies by LPS in aged NZB mice," <i>J Clin Lab Immunol</i> , 3 (3) pp. 185-8, 1980 (abstract).
	Sadigursky, et al. "Induced tolerance to schistosoma mansoni antigens modulates periovular granuloma," <i>Mem Inst Oswaldo Cruz</i> , 82 (4) pp. 279-271, 1987 (abstract).
	Takizawa, et al., "Spontaneous regression in murine hypersensitivity pneumonitis: lack of immunological tolerance," <i>Int Arch Allergy Appl Immunol</i> , 89 (2-3), pp. 173-180, 1989 (abstract).
	Henion, T.R., et al., "Synthesis of α -gal epitopes on influenza virus vaccines, by recombinant α 1,3galactosyltransferase, enables the formation of immune complexes with the natural anti-Gal antibody," <i>Vaccine</i> 15 (11), pp. 1174-1182, 1997.
	Bracy, J.L., et al., "Induction of B-cell tolerance by retroviral gene therapy," <i>Blood</i> 96 (9), pp. 3008-3015, 2000.
	Bell, et al., "Persisting T cells in rats tolerant of human serum albumin. The significance of tolerant and nonimmune T cells which preferentially restrict high affinity antibody synthesis," <i>Eur J Immunol</i> 5 (7) pp. 481-486, 1976 (abstract).
	Zan-Bar, et al. "Studies on suppressor T Cells in tolerance," <i>Adv Exp Med Biol</i> , 66 pp. 585-592, 1976 (abstract).
	Silverman, "Engineered B Cell superantigens and immune tolerance," National Institute of Allergy and Infectious Diseases, 2001 (abstract).
	Bromberg, "Transplantation tolerance: T cell trafficking," National Institute of Allergy and Infectious Diseases, 2001 (abstract).
	Blakely, et al. "Indefinite survival following small intestinal transplantation after intrathymic injection of the donor with recipient-type splenocytes in a rat model," <i>Transplantation</i> 59 (2) pp. 309-311, 1995 (abstract).
	Acres, Robert B. "Neonatally induced immune tolerance to soluble protein antigens," <i>Cell Immunol</i> 43-12B, p. 3913, 1982 (abstract).
	Chatenoud, et al. "Anti-CD3 antibody induces long-term remission of overt autoimmunity in nonobese diabetic mice," <i>Proceedings of the National Academy of Sciences of the United States of America</i> 91 (1) p. 123-127, 1994 (abstract).
MVB	Liu, et al., "T cell recognition of self-human histocompatibility leukocyte antigens (HLA)-DR peptides in context of syngeneic HLA-DR molecules," <i>J Exp Med</i> 175 (6) pp. 1663-1668, 1992 (abstract).

8/8/06

MIB	Hoffmann, et al., "Regulation of T cell function by Mtv-7 gene products," <i>Semin Immunol</i> 4(5) pp. 337-351, 1992 (abstract).
	Dannecker, et al., "In vivo presentation of Mls-1 antigen by T and B lymphocytes," <i>Immunobiology</i> 185 (1) pp. 20-27, 1992 (abstract).
	Hosono, et al. "Neonatal tolerance induction in the thymus to MHC-class-II-associated antigens. V. Thymus medulla and the site for deletional signaling achievement in MIS tolerance," <i>Thymus</i> 20 (1) pp. 31-45, 1992 (abstract).
	Miconnet, et al., "Mls-1a-induced peripheral tolerance to host minor histocompatibility antigens in radiation bone marrow chimeras. Modification of T cell repertoire associated with active suppression and permanent presentation of host antigens," <i>J Immunol</i> 148 (12) pp. 3706-3713, 1992 (abstract).
	Kang, et al., "Transactivation by AP-1 is a molecular target of T cell clonal anergy," <i>Science</i> 257 (5073) pp. 1134-1138, 1992 (abstract).
	Ideyama, et al., "Intrathymic induction of neonatal tolerance to Mls-1a determinant: clonal deletion and clonal anergy by haematolymphoid cells," <i>Immunology</i> 74 (2) pp. 240-245, 1991 (abstract).
	Dannecker, et al., "Induction of neonatal tolerance to the Mls-1a self-super-antigen. Time kinetics and MHC restriction," <i>J Immunol</i> 147 (9) pp. 2833-2838, 1991 (abstract).
	Kronenberg, "Self tolerance and autoimmunity," <i>Cell</i> 65 (4) pp. 537-542, 1991 (abstract).
	Halliday, et al., "Presentation of antigen to suppressor cells by a dimethylbenz (a) anthracene-resistant, Ia-positive, Thy-1-negative, I-J restricted epidermal cell," <i>Immunology</i> 69 (1) pp. 97-103, 1990 (abstract).
	Nishimura, et al., "The induction of skin xenograft tolerance in rat-to-mouse combination could be affected by DFR mediating cells and antibodies against rat bone marrow cells as well as NK cells in the cyclophosphamide-induced tolerance system," <i>Immunobiology</i> 193 (5) pp. 420-438, 1995 (abstract).
	Lagoo-Deenadayalan, et al., "Donor specific bone marrow cells suppress lymphocyte reactivity to donor antigens and differentially modulate TH1 and TH2 cytokine gene expression in the responder cell population," <i>Transpl Immunol</i> 3 (2) pp. 124-134, 1995 (abstract).
	Todd, et al., "T cell activation is not a prerequisite for peripheral tolerance induction to M1s 1a," <i>Cell Immunol</i> 154 (1) pp. 380-392, 1994 (abstract).
	Viciana, et al., "Differential patterns of T cell clonal deletion in neonatal H-2 tolerance and I-E/Mls induced self-tolerance," <i>Transpl Immunol</i> 2 (3) pp. 208-217, 1994 (abstract).
	Aitouche, et al., "Reversal of chimera donor-to-host tolerance in a tolerogen-free environment. Evidence of a nondeletional mechanism," <i>Transplantation</i> 58 (4) pp. 491-496, 1994 (abstract).
	Dahmen, et al., "Split tolerance induced by orthotopic liver transplantation in mice," <i>Transplantation</i> 58 (1) pp. 1-8, 1994 (abstract).
	Eynon, et al., "Parameters of tolerance induction by antigen targeted to B lymphocytes," <i>J Immunol</i> 151 (6) pp. 2958-2964, 1993 (abstract).
	Huang, et al., "Superantigen-driven peripheral deletion of T cells. Apoptosis occurs in cells that have lost the alpha/beta T cell receptor," <i>J Immunol</i> 151 (4) pp. 1844-51, 1993 (abstract).
	Gollob, et al., "Aberrant induction of T cell tolerance in B cell suppressed mice," <i>J Immunol</i> 150 (9) pp. 3705-3712, 1993 (abstract).
	Melamed, et al., "Direct evidence for anergy in T lymphocytes tolerized by oral administration of ovalbumin," <i>Eur J Immunol</i> 23 (4) pp. 935-942, 1993 (abstract).
	Yang, et al., "Cardiac allograft tolerance induced by intra-arterial infusion of recombinant adenoviral CTLA4lg," <i>Transplantation</i> 67 (12) pp. 1517-1523, 1999 (abstract).
	Van Parijs, et al., "Mechanisms of peripheral T cell tolerance," <i>Novartis Found Symp</i> 215 pp. 5-14, 1998 (abstract).
	Leon, et al., "Natural and induced tolerance in an immune network model," <i>J Theor Biol</i> 193 (3) pp. 519-534, 1998 (abstract).
	Shen, et al., "Regulation of T cell immunity and tolerance in vivo by CD4," <i>Int Immunol</i> 10 (3) pp. 247-257, 1998 (abstract).
MVB	Garside, et al., "Lymphocytes from orally tolerized mice display enhanced susceptibility to death by apoptosis when cultured in the absence of antigen in vitro," <i>Am J Pathol</i> 149 (6) pp. 1971-1979, 1996 (abstract).

M/B		Davies, et al., "T cell suppression in transplantation tolerance through linked recognition," <i>J Immunol</i> 156 (10) pp. 3602-3607, 1996 (abstract).
		Liang, et al., "Molecular mimicry and the role of B lymphocytes in the processing of autoantigens." <i>CMLS Cellular and Molecular Life Sciences</i> 57 (4) pp. 561-568, 2000 (abstract).
		Guermontprez, et al., "Antigen presentation and T cell stimulation by dendritic cells," <i>Annu Rev Immunol</i> 20 pp. 621-667, 2002 (abstract).
		Shlomai, et al., "Immunomodulation of experimental colitis: the role of NK1.1 liver lymphocytes and surrogate antigens-bystander effect," <i>J Pathol</i> 195 pp. 498-507, 2001 (abstract).
		Maeda, et al., "Suppressor T cells regulate the nonanergic cell population that remains after peripheral tolerance is induced to the Mls-1 antigen in T cell receptor Vbeta 8.1 transgenic mice," <i>Proc Natl Acad Sci USA</i> 97 (24) pp. 13257-13262, 2000 (abstract).
		Birk, et al., "Alternative activation of antigen-presenting cells: concepts and clinical relevance," <i>Hautarzt</i> 52 pp. 193-200, 2001 (abstract).
M/B		Ogawa, et al., "Induction of immune tolerance to a transplantation carbohydrate antigen by gene therapy with autologous lymphocytes transduced with adenovirus containing the corresponding glycosyltransferase gene," <i>Gene Therapy</i> 11 pp. 292-301, 2004. ✓
EXAMINER		DATE CONSIDERED
		8/8/06
<ul style="list-style-type: none"> EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. 		